

**Somerset Hills School District
Bernardsville Middle School
141 Seney Drive
Bernardsville, NJ 07924
Health Office: 908-204-1916, ext. 3016**

To: Parents/Guardians of 5th and 6th Graders
From: Suzanne Ryan, RN

Re: Fact Sheets for Meningococcal Meningitis

Attached please find for your information, fact sheets developed by the NJ Department of Health and Senior Services about the various forms of meningitis and the vaccines to prevent them.

New Jersey Administrative Code has required that school districts distribute these fact sheets annually to parents or guardians of students in the fifth and sixth grade. If you have any questions regarding any of the fact sheets, please call your child's health care provider or the Health Office at the Bernardsville Middle School.

Thank you.

MENINGOCOCCAL VACCINE CAN PROTECT YOU AGAINST THIS DEADLY INFECTION

What is meningococcal disease?

Meningococcal disease refers to any illness caused by the type of bacteria (germs) called



Neisseria meningitidis. Meningococcal disease may result in inflammation of the lining of the brain and spinal cord (meningitis) and/or a serious blood infection (septicemia).

About 5-20% of people carry this type of bacteria in their nose and throat and do not get sick from them. But sometimes, *Neisseria meningitidis* can invade the body and cause meningococcal disease.

Who gets meningococcal disease?

Anyone can get meningococcal disease, but certain groups are at increased risk. These include:

- ◆ College students and military recruits living in dorms or barracks
- ◆ People with certain medical conditions or immune system disorders including a damaged or removed spleen
- ◆ People who may have been exposed to meningococcal disease during an outbreak
- ◆ International travelers

Why should I be concerned about meningococcal disease?

Meningococcal disease is serious; even with treatment, the disease may result in death. Of those who live, about 20% will lose their arms or legs, have problems with their nervous systems, become deaf, or suffer seizures or strokes. **Early diagnosis and treatment are very important.**

How do people get meningococcal disease?



The bacteria are spread from person-to-person through the exchange of saliva (spit) or nasal secretions. One must be in direct (close) contact with an infected person's secretions in order to be exposed.

Close contact includes activities such as:

- ◆ Living in the same household
- ◆ Kissing
- ◆ Sharing eating utensils, food, drinks, cigarettes

These bacteria are not as contagious as the germs that cause the common cold or flu. The bacteria are not spread by casual contact or by breathing the air where a person with meningococcal disease has been.

What are the symptoms of meningococcal disease?

Common symptoms are:

- ◆ Confusion
- ◆ Fatigue (feeling very tired)
- ◆ Headache
- ◆ High fever
- ◆ Nausea
- ◆ Rash of dark purple spots
- ◆ Sensitivity to light
- ◆ Stiff neck
- ◆ Vomiting



How can meningococcal disease be prevented?

The best way to prevent meningococcal disease is to get vaccinated. There are two kinds of vaccines available that protect against 4 types of meningococcal disease known as A, C, Y, and W.

There is a new vaccine that was just licensed to help prevent type B.



Who should get meningococcal vaccine?



Two doses of the meningococcal vaccine that prevents infection with types A, C, Y, and W are recommended for adolescents. The first dose is recommended at 11 or 12 years of age followed by a booster dose. The vaccine is also recommended for persons at increased risk for disease. You should discuss with your healthcare provider whether you should get the vaccine against type B or whether you are increased risk for disease.

In New Jersey, meningococcal vaccine is required for 11-year-olds attending school and is required for certain students who are enrolled in a college or university and reside on campus. For more information, see N.J.A.C. 8:57-4 and N.J.A.C. 8:57-6.

Is the meningococcal vaccine safe?

Meningococcal vaccines are safe and effective. As with all vaccines, there can be minor reactions, including pain and redness at the injection site or a mild fever for one to two days. Severe side effects, such as a serious allergic reaction, are very rare.

Where can I get more information about meningococcal vaccine?

- ◆ Your healthcare provider
- ◆ Your local health department
www.localhealth.nj.gov
- ◆ New Jersey Department of Health Vaccine Preventable Disease Program
<http://www.nj.gov/health/cd/meningo/index.shtml>
<http://nj.gov/health/cd/imm.shtml>
- ◆ Centers for Disease Control and Prevention (CDC)
<http://www.cdc.gov/meningococcal/index.html>
- ◆ Vaccine Information Statement
<http://www.cdc.gov/vaccines/hcp/vis/vis-statements/mening.html>

New Jersey Department of Health
Communicable Disease Service
Vaccine Preventable Disease Program
PO Box 369
Trenton, NJ 08625
609-826-4860



This information is intended for educational purposes only and is not intended to replace consultation with a healthcare professional.

November 2014

Meningococcal Disease



Are YOU Protected?